

On Definite Iterated Belief Revision with Belief Algebras*

Hua Meng¹, Zhiguo Long^{2†}, Michael Sioutis³, Zhengchun Zhou¹

¹School of Mathematics, Southwest Jiaotong University, China

²School of Computing and Artificial Intelligence, Southwest Jiaotong University, China

³LIRMM UMR 5506, University of Montpellier & CNRS, France

{menghua, zhiguolong}@swjtu.edu.cn, michael.sioutis@lirmm.fr, zzc@swjtu.edu.cn

Abstract

Traditional logic-based belief revision research focuses on designing rules to constrain the behavior of revision operators. Frameworks have been proposed to characterize iterated revision rules, but they are often too loose, leading to multiple revision operators that all satisfy the rules under the same belief condition. In many practical applications, such as safety critical ones, it is important to specify a definite revision operator to enable agents to iteratively revise their beliefs in a deterministic way. In this paper, we propose a novel framework for iterated belief revision by characterizing belief information through preference relations. Semantically, both beliefs and new evidence are represented as *belief algebras*, which provide a rich and expressive foundation for belief revision. Building on traditional revision rules, we introduce additional postulates for revision with belief algebra, including an upper-bound constraint on the outcomes of revision. We prove that the revision result is uniquely determined given the current belief state and new evidence. Furthermore, to make the framework more useful in practice, we develop a particular algorithm for performing the proposed revision process. We argue that this approach may offer a more predictable and principled method for belief revision, making it suitable for real-world applications.

1 Introduction

Updating or revising the beliefs of an agent in light of new evidence is a fundamental process in both everyday life and scientific activities. For instance, Newton’s laws of motion were widely accepted for centuries until discoveries at very small scales or very high speeds revealed their limitations. Similarly, our knowledge is continuously updated and enriched through learning and communication. To formalize this process, researchers in artificial intelligence have developed the subfield of *belief change* (see, e.g., [Doyle, 1979;

Harper, 1976]). Among the most influential contributions to this field is the AGM framework [Alchourron *et al.*, 1985], which has inspired numerous extensions and applications in areas such as game theory and argumentation [Williams, 1996; van Harmelen *et al.*, 2008; Fermé and Hansson, 2011; Diller *et al.*, 2015; Zhang, 2010].

Motivation The AGM framework addresses various forms of belief change, including *belief revision*, which is of particular interest in this paper. The AGM framework, along with its various subsequent developments, aims to update a current belief state to a new one when new evidence is acquired. This process can be formally described syntactically as revising a set of logical formulas (belief set) with a single logical formula (new evidence) [Alchourron *et al.*, 1985]. Alternatively, it can be characterized semantically using preferences over possible worlds (total preorder) [Katsuno and Mendelzon, 1991], where the revision process involves updating these preferences based on new evidence. Furthermore, belief revision based on partial preorders and iterated belief revision have been extensively studied [Lehmann, 1995; Boutilier, 1996; Darwiche and Pearl, 1997; Nayak *et al.*, 2003; Booth and Chandler, 2016; Aravanis *et al.*, 2019; Kern-Isberner *et al.*, 2024]. Researchers have primarily focused on how to constrain belief revision behaviors through postulates or how to characterize revision with new semantics, leading to the proposal of various rule systems [Liberatore, 2024; Bonanno, 2025]. These rule systems are evaluated from different perspectives to build a comprehensive framework. However, these rule systems are often too loose, resulting in multiple revision operators that all satisfy the same set of rules, which might not be desirable in practice. For example, in scenarios where multiple intelligent agents collaborate in urban traffic management, their initial beliefs are aligned. Upon acquiring new traffic condition information, these agents must update their traffic control strategies deterministically so that they maintain aligned beliefs, otherwise the transportation system might descend into chaos.

Contributions The goal and main contribution of this paper is not to establish a new rule system for belief revision, but to explore a simple and effective way to represent belief information in more depth, and to propose a definite revision operator suitable for applications requiring deterministic revision. To this end, we use *belief algebra* (introduced

*This is an extended version of the corresponding IJCAI 2025 paper with the same title.

[†]Corresponding author.

in [Meng *et al.*, 2015]) as the foundational tool for representing belief information. Unlike preorders over worlds, a belief algebra represents belief information as a preference relation over subsets of worlds. In our framework, both the current belief state and the new evidence are represented as belief algebras. Specifically, the iterated belief revision process is modeled as revising a belief algebra G_1 with another belief algebra G_2 to produce a new belief algebra G_3 . By analyzing the structural properties of a belief algebra, we propose a set of revision postulates, including an upper bound constraint on the outcomes of revision, and prove that these postulates inherently induce a *unique* revision operator. Additionally, we discuss the algorithmic implementation of this iterated belief revision framework, providing practical support for designing agents with belief revision capabilities in applications.

Organization The rest of the paper is organized as follows: Section 2 discusses related work and Section 3 introduces basic knowledge. Section 4 explores properties of belief algebras, and Section 5 considers a special case of revision with a belief algebra. Section 6 extends the discussion to general cases and Section 7 describes the practical algorithm. Finally, Section 8 concludes the paper.

2 Related Work

Various research efforts have focused on representing belief information in iterated revision. Spohn [1988] introduced the concept of *ordinal conditional function* (OCF) to encode preference information over worlds and developed a process called *conditionalization* to revise OCFs. Williams [1994] proposed a formula-based counterpart to OCF, mapping formulas to ordinals based on their resistance to change. Darwiche and Pearl [1997] advanced the field by representing belief information as total preorders on worlds and extending the AGM framework with four postulates to characterize iterated revision.

Several researchers have improved the DP (Darwiche and Pearl) framework’s settings. Benferhat *et al.* [2005] used partial preorders, while Peppas and Williams [2014] employed semiorders. Ma *et al.* [2015] revised epistemic states with partial epistemic states. Andrikopoulou *et al.* [2025] discussed belief revision under filters that are subsets of partially ordered sets. Benferhat *et al.* [2000] enhanced the representation of new evidence by using an epistemic state, proposing postulates for minimal-model preserving operators and proving the uniqueness of the revision result given a total preorder and a new total preorder as evidence. This aligns with our discussion in Section 5, as their operator satisfies (RE1)–(RE3). Meanwhile, new frameworks and semantic structures continue to be proposed [Liberatore, 2024; Bonanno, 2025].

Many works aim to define the most “reasonable” revision rules, yet achieving consensus on rationality remains challenging. These debates often resemble philosophical discussions, focusing on abstract principles rather than practical implementations. The rationality of the basic AGM rules has been questioned [Aravanis, 2023]. Sauerwald and Thimm [2024] considered the realizability of AGM revision and contraction operators in Epistemic Spaces. Some

researchers, such as [Booth and Meyer, 2006; Jin and Thielscher, 2007; Nayak *et al.*, 2003], have observed that the DP framework can produce counter-intuitive revision results. To address that issue, they proposed modifications or additions to the DP postulates. For instance, Nayak, Pagnucco, and Peppas [2003] introduced *conjunction* postulates, treating consistent evidences as order-independent, while Jin and Thielscher [2007] proposed a weaker *independence* postulate. Notably, these works primarily focus on rule construction, with limited attention to operator selection.

While the exploration of revision rules continues, the potential and application prospects of belief revision have also received significant attention [Hunter and Boyarinov, 2022; Baroni *et al.*, 2022]. This shift reflects a growing interest in leveraging belief revision for practical, real-world problems. In applications such as constrained differential privacy [Liu *et al.*, 2023] and text generation by large language models [Wilie *et al.*, 2024], the focus has shifted towards applications of revision. In industrial agent design, selecting a specific update algorithm is crucial to enable agents to iteratively refine their beliefs. To address this, our work focuses on representing belief information through *belief algebra* building on [Meng *et al.*, 2015], and proposes a unique revision operator by strengthening revision rules in a natural way, aiming to provide a deterministic and practical solution for real-world applications.

3 Preliminaries

We recall some necessary knowledge for what will follow.

3.1 Belief as A Total Preorder

In this paper, we restrict our discussion to belief revision in a finite propositional language L . We denote by W the set of all (possible) worlds (i.e., interpretations).

For each propositional formula ψ , we denote by $[\psi]$ the set of all worlds of ψ , i.e., $[\psi] = \{\omega \in W \mid \omega \models \psi\}$. We will also use a consequence operator $\text{Cn}(\Gamma) = \{\varphi \in L \mid [\Gamma] \subseteq [\varphi]\}$ to obtain the set of formulas implied by Γ .

A (partial) *preorder* \preceq on A is a binary relation on A that is reflexive and transitive. A preorder \preceq is called *total* if any two elements in A are comparable under \preceq . We write $x \sim y$ if $x \preceq y$ and $y \preceq x$, and $x \prec y$ if $x \preceq y$ but $y \not\preceq x$. The *strict part* of a preorder \preceq is the set $\prec = \{(x, y) \mid x \prec y\} \subseteq \preceq$.

A belief set \mathcal{K} is a set of formulas in L that is deductively closed, i.e., $\text{Cn}(\mathcal{K}) = \mathcal{K}$. Generally, belief revision is the process of changing a current belief state with a new piece of evidence, where the current belief state and the new evidence can be represented in different ways. For example, in the AGM framework, the current belief state is represented as a belief set and the new evidence is represented as a formula.

When belief revision needs to be done sequentially, known as *iterated belief revision*, the representation mechanism of the AGM framework is not suitable anymore. A more sophisticated structure known as *epistemic state* is then used to represent belief information. In their original paper, Darwiche and Pearl [1997] captured the concept of an epistemic state in terms of a revision operator. Particularly, an epistemic state is a set of beliefs and *conditional beliefs* satisfying several postulates. A conditional belief has the form $(\beta \mid \alpha)$, where α, β

are formulas in L . An agent has a conditional belief $(\beta \mid \alpha)$ if she will believe β whenever she believes α . Within the DP framework, an epistemic state can be characterized semantically as a total preorder on worlds as follows.

Lemma 1 ([Darwiche and Pearl, 1997]). *Suppose Ψ consists of a belief set $\text{Bel}(\Psi)$ and several conditional beliefs, then Ψ is an epistemic state iff there is a total preorder \preceq on worlds such that:*

- (ES1) $\phi \in \text{Bel}(\Psi)$ iff there is a world ω in $[\phi]$ such that $\omega \prec \omega'$ for all $\omega' \in [\neg\phi]$.
- (ES2) $(\beta \mid \alpha) \in \Psi$ iff there is a world ω in $[\alpha \wedge \beta]$ such that $\omega \prec \omega'$ for all $\omega' \in [\alpha \wedge \neg\beta]$.

3.2 Belief as A Belief Algebra

To provide a unified representation of belief information, the concept of *belief algebra* was introduced in [Meng et al., 2015]. It is a class of ordering structures on 2^W , the power set of possible worlds, which can intuitively capture the belief preference of an agent, and is actually more general than total preorder (see Section 5).

Definition 1 ([Meng et al., 2015]). Suppose \gg is a binary relation on 2^W , and write $R_W = \{(U, V) \mid U, V \subseteq W, U \cap V = \emptyset\}$. Then $(2^W, \gg)$ is called a *belief algebra* (BA) if it satisfies the following rules ($U, V, U_1, V_1, U_2, V_2 \subseteq W$):

- (A0) $\gg \subseteq R_W$.
- (A1) $U \gg \emptyset$ iff $U \neq \emptyset$.
- (A2) If $U \gg V$, then $V \not\gg U$.
- (A3) If $U_1 \supseteq U \gg V \supseteq V_1$ and $U_1 \cap V_1 = \emptyset$, then $U_1 \gg V_1$.
- (A4) If $U = U_1 \cup V_1 = U_2 \cup V_2$ and $U_1 \gg V_1, U_2 \gg V_2$, then $U_1 \cap U_2 \gg V_1 \cup V_2$.

Roughly speaking, \gg directly describes the belief preference of agents in a semantic way. For instance, $[\phi] \gg [\neg\phi]$ means that ϕ is more believable than $\neg\phi$, and if $[\phi]$ and $[\psi]$ are incomparable in \gg , then the agent has no idea which one is more believable. (A0) shows that we only need to compare disjoint subsets of W . (A1) shows that each nonempty set has a higher preference level than the empty set. (A2) shows that \gg is a strict ordering. (A3) shows that \gg satisfies certain transitivity. (A4) considers the case where if ϕ is more believable than $\neg\phi$ and ψ is more believable than $\neg\psi$, then $\phi \wedge \psi$ is more believable than $\neg(\phi \wedge \psi)$.

Traditionally, the semantic characterization of an epistemic state is often represented as a *total preorder* on W , where W is the set of all possible worlds. In contrast, a *belief algebra* is defined as an ordering relation on 2^W , the power set of W . Interestingly, a total preorder on W can be naturally extended to a belief algebra on 2^W . This relationship can be formalized in the following theorem:

Theorem 1 ([Meng et al., 2015]). *Let \preceq be a total preorder on W . Define a binary relation \gg on 2^W as follows: $U \gg V$ if and only if $U \cap V = \emptyset$ and $\exists \omega_1 \in U$ such that $\forall \omega_2 \in V, \omega_1 \prec \omega_2$. Then $(2^W, \gg)$ is a belief algebra.*

This theorem demonstrates that the structure of a total preorder on W can be lifted to a belief algebra on 2^W , preserving

the agent's belief preferences in a more expressive and generalized framework. The relation \gg captures the intuition that a subset U is preferred over V if there exists at least one world in U that is strictly preferred to all worlds in V . This extension provides a natural bridge between traditional epistemic states and the more general belief algebra framework.

Definition 2 (Complete Belief Algebra (CBA)). A belief algebra $(2^W, \gg)$ is called a *complete belief algebra* (CBA) if it can be generated from a total preorder \preceq on W in the manner described in Theorem 1.

Complete belief algebras provide a natural connection between total preorders on W , and the more expressive framework of belief algebras. They capture the intuition that belief preferences over subsets of worlds can be fully determined by a total preorder on individual worlds.

Example 1. Suppose $\omega_1 \sim \omega_2 \prec \omega_3 \sim \omega_4$ is a total preorder and thus an epistemic state. Let $W = \{\omega_1, \omega_2, \omega_3, \omega_4\}$ and $Tr(W) = \{(U, \emptyset) \mid U \subseteq W, U \neq \emptyset\}$. For the sake of brevity we use (x, y) for representing $\{\omega_x\} \gg \{\omega_y\}$, (xy, z) for $\{\omega_x, \omega_y\} \gg \{\omega_z\}$, and so on. Then this total preorder is equivalent to a complete belief algebra G as follows:

$$G = \{(1, 3), (1, 4), (2, 3), (2, 4), (1, 34), (2, 34), (12, 3), (12, 4), (12, 34), (123, 4), (124, 3)\} \cup Tr(W).$$

4 Exploring Belief Algebra in More Depth

Given two belief algebras $G_1 = (2^W, \gg_1)$ and $G_2 = (2^W, \gg_2)$ on W , we denote by $G_1 \subseteq G_2$ iff $\gg_1 \subseteq \gg_2$. Also, we will not distinguish between $G_1 \cup G_2$ and $\gg_1 \cup \gg_2$, and $G_1 \cap G_2$ and $\gg_1 \cap \gg_2$, whenever it is self-explanatory based on context. For each belief algebra $G = (2^W, \gg)$, $Tr(W) = \{(U, \emptyset) \mid U \subseteq W, U \neq \emptyset\}$ is always contained in \gg by (A1). It is not difficult to verify that $(2^W, Tr(W))$ is a belief algebra. Then for each belief algebra G on W , we always have $(2^W, Tr(W)) \subseteq G$.

A subset of R_W (defined in Definition 1) can generate a belief algebra.

Definition 3. Given $\Omega \subseteq R_W$, we denote by $\text{Gen}(\Omega)$ the smallest subset of R_W that contains Ω and is closed under the rules (A1), (A3) and (A4) used for expansion.

Example 2. Suppose $W = \{\omega_1, \omega_2, \omega_3, \omega_4\}$ and $\Omega = (\{\omega_1, \omega_2\}, \{\omega_3, \omega_4\})$. Then for each belief algebra $(2^W, \gg)$, if $\Omega \in \gg$ we have $\{\omega_1, \omega_2\} \gg \{\omega_3, \omega_4\}$. Again, for the sake of brevity we use (x, y) for representing $\{\omega_x\} \gg \{\omega_y\}$, (xy, z) for $\{\omega_x, \omega_y\} \gg \{\omega_z\}$, and so on. With respect to (A3) we have that $(123, 4), (124, 3)$ are all in \gg , and by (A4) $(12, 34) \in \gg$. Then it can be verified that $\text{Gen}(\Omega) = \{(12, 34), (123, 4), (124, 3)\} \cup Tr(W)$ is the smallest belief algebra which contains Ω .

If $\text{Gen}(\Omega)$ also satisfies (A2), then $(2^W, \text{Gen}(\Omega))$ is a belief algebra by definition, and we will also use $\text{Gen}(\Omega)$ to denote this belief algebra. Here we always assume that the agent is rational and $\text{Gen}(\Omega)$ is always a belief algebra when Ω represents some belief information. Given Ω , $\text{Gen}(\Omega)$ can be obtained by closing Ω under (A1), (A3), and (A4).

With the operator $\text{Gen}(\cdot)$, one can see that each CBA is entirely determined by preferences on the sets consisting of a single world.

There is a 1-1 correspondence between CBAs and total preorders, which is given as follows.

Lemma 4 ([Meng et al., 2015]). *There is a 1-1 correspondence between CBAs and total preorders:*

- Suppose \preceq is a total preorder on W . Let $U \gg V$ iff $\exists \omega_1 \in U$ s.t. $\forall \omega_2 \in V, \omega_1 \prec \omega_2$. Then $(2^W, \gg)$ is a CBA.
- Suppose $(2^W, \gg)$ is a CBA. Let $\omega_1 \prec \omega_2$ iff $\{\omega_1\} \gg \{\omega_2\}$, and $\omega_1 \sim \omega_2$ iff $\{\omega_1\} \not\gg \{\omega_2\}$ and $\{\omega_2\} \not\gg \{\omega_1\}$. Then $\preceq := \prec \cup \sim$ is a total preorder on W .

Each CBA is totally decided by preferences on the sets consisting of a single world, which is implied straightforwardly by Lemma 4.

Corollary 1. Suppose $G = (2^W, \gg)$ and $G' = (2^W, \gg')$ are CBAs, then:

- $\text{Gen}(\Omega) = G$, where $\Omega = \{(\{\omega\}, \{\omega'\}) \mid \{\omega\} \gg \{\omega'\}\}$.
- If G and G' have the same preferences on single world sets, i.e., for any $\omega, \omega' \in W$, $(\{\omega\}, \{\omega'\}) \in G$ iff $(\{\omega\}, \{\omega'\}) \in G'$, then $G = G'$.

The following proposition shows how to construct new belief algebras from existing belief algebras.

Proposition 1. Suppose $G = (2^W, \gg)$ and $G' = (2^W, \gg')$ are belief algebras. Then $G \cap G' = (2^W, \gg \cap \gg')$ is a belief algebra.

Proof. We only need to show that $\gg \cap \gg'$ satisfies (A0)-(A4). We take (A3) as an example, as the rest can be proven in similar and/or simpler fashion. If $(U, V) \in \gg \cap \gg'$, $U_1 \supseteq U, V \supseteq V_1$ and $U_1 \cap V_1 = \emptyset$, then $U_1 \gg V_1$ and $U_1 \gg' V_1$ since G_1, G_2 satisfy (A3). Hence $(U, V) \in \gg \cap \gg'$. This means that $G \cap G'$ satisfies (A3). \square

Corollary 2. Suppose $G = (2^W, \gg)$ is a belief algebra and $\Omega \subseteq \gg$, and \mathcal{A} is the set of all the belief algebras that contains Ω . Then $\text{Gen}(\Omega)$ is a belief algebra, and $\text{Gen}(\Omega) = \bigcap \mathcal{A}$.

Proof. By Definition 3 and $\Omega \subseteq \gg$, we have $\text{Gen}(\Omega) \subseteq G$. Then $\text{Gen}(\Omega)$ satisfies (A2), and $\text{Gen}(\Omega)$ is the smallest belief algebra containing Ω . Thus, $\text{Gen}(\Omega) \in \mathcal{A}$ and $\bigcap \mathcal{A} \subseteq \text{Gen}(\Omega)$. On the other hand, by Proposition 1, we know that any finite intersection of belief algebras is also a belief algebra, and \mathcal{A} contains only finite number of belief algebras because W is a finite set, so $\bigcap \mathcal{A}$ is a belief algebra containing Ω . Then $\text{Gen}(\Omega) \subseteq \bigcap \mathcal{A}$ and we have $\text{Gen}(\Omega) = \bigcap \mathcal{A}$. \square

The following result unveils the structure of \gg , which consists of levels of subsets of worlds.

Lemma 5 ([Meng et al., 2015]). Suppose $(2^W, \gg)$ is a belief algebra. Then there is a unique chain, called backbone, $\Delta = \{U_1 \gg U_2 \gg U_3 \gg \dots \gg U_n\}$, such that:

- (Ch1) $\{U_i\}_{i=1}^n$ is a partition of W , i.e., $\{U_i\}_{i=1}^n$ consists of pairwise disjoint nonempty subsets of W and $\bigcup_{i=1}^n U_i = W$.
- (Ch2) For each U_i , if V_1, V_2 are two disjoint nonempty subsets of U_i , then V_1 and V_2 are incomparable in \gg , i.e., $(V_1, V_2) \notin \gg$ and $(V_2, V_1) \notin \gg$.




Figure 1: Illustration of the structure of the backbone $\{U_1 \gg U_2 \gg \dots \gg U_n\}$ and supports of a belief algebra. The backbone forms a partition of W , and according to (Ch2), $V_3 \not\gg V_4$ and $V_4 \not\gg V_3$, because $V_3 \cap V_4 = \emptyset$ and $V_3, V_4 \subseteq U_n$. Here, the supports w.r.t. the backbone are $I(V_1) = U_1$, $I(V_2) = U_2$, and $I(V_3) = I(V_4) = U_n$.

The above lemma shows that the backbone is the core structure of a belief algebra. (Ch2) shows that for each U_i in a backbone, any subsets of U_i can not be compared with one another. In terms of belief preferences, this means that an agent has no preference on subsets of U_i . Another important concept is the *support* of a subset of W w.r.t. some backbone.

Definition 4. Let $\Delta = \{U_1 \gg U_2 \gg U_3 \gg \dots \gg U_n\}$ be the backbone of a belief algebra. The *support* of a nonempty set $V \subseteq W$ w.r.t. Δ is defined as $I(V) = U_i$, where $V \cap U_i \neq \emptyset$ and $\forall j \neq i$, if $V \cap U_j \neq \emptyset, U_i \gg U_j$. That is, $I(V)$ is the largest U_i under \gg in the backbone such that $V \cap U_i \neq \emptyset$.

Figure 1 gives an illustration of the above definitions. Moreover, the preferences of an agent are “consistent” with the backbone in the sense of property (1) in Lemma 6 that follows.

Lemma 6 ([Meng et al., 2015]). *The relations between belief algebras and their backbones are as follows:*

- (1) Suppose $G = (2^W, \gg)$ is a belief algebra, then $U \gg V$ only if $I(U) \gg I(V)$.
- (2) Suppose $G = (2^W, \gg)$ is a complete belief algebra, then $U \gg V$ if and only if $I(U) \gg I(V)$.
- (3) Suppose $G = (2^W, \gg)$ is a belief algebra, and $\Delta = \{U_1 \gg U_2 \gg U_3 \gg \dots \gg U_n\}$ is its backbone. Then there is a unique complete belief algebra $G' = (2^W, \gg')$ containing G and having the same backbone with G . Moreover, $\gg' = \{(U, V) \in R_W \mid U, V \neq \emptyset, I(U) \gg I(V)\} \cup \text{Tr}(W)$.

The above lemma shows that there are different belief algebras that have the same backbone Δ , and there is a unique complete belief algebra with Δ as its backbone, viz., the largest one containing all the pairs (U, V) s.t. $I(U) \gg I(V)$. Roughly speaking, the backbone of a belief algebra is the “core” belief information that reflects the main preferences of the agent. Taking Figure 1 as an example, a belief algebra G with $\{U_1 \gg U_2 \gg U_3 \gg \dots \gg U_n\}$ as its backbone may or may not contain $V_1 \gg V_2$, but if it is CBA, then it must contain $V_1 \gg V_2$, and it should never contain $V_2 \gg V_1$ because $I(V_1) = U_1 \gg U_2 = I(V_2)$.

Definition 5. Suppose $G = (2^W, \gg)$ is a belief algebra. Then we denote by $\text{Com}(G)$ the complete belief algebra that contains G and has the same backbone as G . Suppose G_1 and




Figure 2: Illustration of the structure of BA_L .

G_2 are both belief algebras. Then we write $G_1 \leq G_2$ if these two belief algebras have the same backbone and $G_1 \subseteq G_2$.

Example 3. Let L be a propositional language with two variables $\{b, f\}$ and $W = \{\omega_1 := b \wedge f, \omega_2 := b \wedge \neg f, \omega_3 := \neg b \wedge f, \omega_4 := \neg b \wedge \neg f\}$. Suppose Bob's current belief state is represented as a total preorder $\omega_1 \sim \omega_2 \prec \omega_3 \sim \omega_4$, and the new evidence is a formula μ such that the worlds that entail μ are represented as $[\mu] = \{\omega_1, \omega_4\}$. In this situation, Bob holds a new preference that $[\mu] \gg [\neg\mu]$. These belief preferences can be represented using belief algebra. Following the notation in Example 2, Bob's current belief information can be represented as: $\text{Gen}(\{(1, 3), (1, 4), (2, 3), (2, 4)\})$. Similarly, the new evidence μ can be represented as $\text{Gen}(\{(1, 4), (2, 3)\})$. Note that $\text{Gen}(\{(1, 3), (1, 4), (2, 3), (2, 4)\})$ is a complete belief algebra (CBA), while $\text{Gen}(\{(1, 4), (2, 3)\})$ is not a CBA. The backbone of the former is $\{\omega_1, \omega_2\} \gg \{\omega_3, \omega_4\}$, while the backbone of the latter is $\{\omega_1, \omega_4\} \gg \{\omega_2, \omega_3\}$. Moreover, $\text{Com}(\text{Gen}(\{(1, 4), (2, 3)\})) = \text{Gen}(\{(1, 2), (1, 3), (4, 2), (4, 3)\})$.

Note that $G_1 \leq G_2$ is different from $G_1 \subseteq G_2$. It actually means that G_1 and G_2 contain the same "core" belief information, but G_1 is "less informational" than G_2 , in the sense that any revision result of G_1 should be contained in that of G_2 , as we will see later in the postulate (RA5). Let BA_L be the set of belief algebras over the worlds of L . It is easy to check that \leq as defined above is a partial order on BA_L . We also use BA_L to denote the partial order set (BA_L, \leq) .

Theorem 2. Let $\Delta = \{U_1 \gg U_2 \gg U_3 \gg \dots \gg U_n\}$ be a backbone and denote by $BA(\Delta) = \{G \in BA_L \mid \Delta \text{ is the backbone of } G\}$ the set of belief algebras having Δ as backbone. Suppose $G_1, G_2 \in BA(\Delta)$. Then:

- (1) $G_1 \cap G_2 \in BA(\Delta)$.
- (2) $\text{Gen}(G_1 \cup G_2)$ is a belief algebra, and $\text{Gen}(G_1 \cup G_2) \in BA(\Delta)$.

Remark 1. Theorem 2 shows that $BA(\Delta)$ is a lattice that contains the smallest element $\text{Gen}(\Delta)$ and the largest element $\text{Com}(\text{Gen}(\Delta))$. Here, a lattice is a set equipped with a partial order such that every two elements have a unique supremum (also called the least upper bound) and a unique infimum (also called the greatest lower bound). Furthermore, BA_L is divided into disjoint parts by the backbone, and each part is a lattice under \leq (see Figure 2).

Example 4. Suppose $W = \{\omega_1, \omega_2, \omega_3, \omega_4\}$. Let $G_1 = \{(123, 4)\} \cup \text{Tr}(W)$, $G_2 = \{(123, 4), (12, 4)\} \cup$

$\text{Tr}(W)$, $G_3 = \{(123, 4), (13, 4)\} \cup \text{Tr}(W)$, $G_4 = \{(123, 4), (12, 4), (13, 4), (23, 4), (1, 4), (2, 4), (3, 4)\} \cup \text{Tr}(W)$. Then G_1, G_2, G_3, G_4 are all belief algebras, and they all have the same backbone $\Delta = \{\omega_1, \omega_2, \omega_3\} \gg \{\omega_4\}$. G_4 is a complete belief algebra, and $G_1 \leq G_2 \leq G_4$, $G_1 \leq G_3 \leq G_4$, but G_2, G_3 can not be compared by \leq . Furthermore, $G_1 = \text{Gen}(\Delta)$ is the smallest element in $BA(\Delta)$, and $G_4 = \text{Com}(G_1)$ is the biggest one.

5 Special Case: Revising CBA with CBA

Before discussing the general case of revision with belief algebras, we first consider a simplified scenario where the agent's current belief, the new evidence, and the revision result are all represented as *complete belief algebras* (CBAs; see Definition 2). This process is equivalent to revising an existing total preorder \preceq_1 by a new total preorder \preceq_2 to obtain a revised total preorder \preceq_3 .

Inspired by existing research (e.g., [Alchourron *et al.*, 1985; Darwiche and Pearl, 1997; Ma *et al.*, 2015]), we propose the following revision rules for this setting. The revision of a total preorder by another total preorder, denoted as $\preceq_1 \circ \preceq_2 = \preceq_3$, has been studied in [Benferhat *et al.*, 2000] and is known as a *minimal-model preserving operator*. This operator can be equivalently characterized by the following postulates:

- (RE1) \preceq_3 is a total preorder.
- (RE2) $\prec_2 \subseteq \prec_3$, where $\prec_i = \{(x, y) \mid x \prec_i y \wedge y \not\prec_i x\}$.
- (RE3) If $\omega \sim_2 \omega'$, then: $\omega \prec_3 \omega'$ if and only if $\omega \prec_1 \omega'$.

The postulate (RE1) is natural by underlying setting. The postulate (RE2) requires that the new belief information (corresponding to the strict part of the new total preorder) must be fully incorporated into the revision result. Finally, (RE3) ensures that for worlds with equal (non)preference under \preceq_2 , the preference relation from \preceq_1 is preserved in \preceq_3 . This allows the revision process to retain more of the original belief information while incorporating the new evidence.

Example 5. Following Example 3, Bob's current belief is $\preceq_1 = \{\omega_1 \sim \omega_2 \prec \omega_3 \sim \omega_4\}$ which has $\{(\omega_1 \prec \omega_3), (\omega_1 \prec \omega_4), (\omega_2 \prec \omega_3), (\omega_2 \prec \omega_4)\}$ as its strict part. Now, instead of considering revision by a formula, we consider revision by another total preorder $\preceq_2 = \{\omega_1 \sim \omega_2 \sim \omega_3 \sim \omega_4\}$. Then \preceq_2 has an empty strict part, which means that \preceq_2 cannot lead to any new preference. In this sense, all the strict orderings of \preceq_1 can be kept into the revision result. It is natural that $\preceq_1 \circ \preceq_2 = \preceq_1$. Suppose instead $\preceq_2 = \{\omega_4 \prec \omega_3 \prec \omega_2 \prec \omega_1\}$. Then, in \preceq_2 , all worlds are ordered by \prec . In this sense, no information in \preceq_1 is useful and $\preceq_1 \circ \preceq_2 = \preceq_2$. On the other hand, if $\preceq_2 = \{\omega_2 \sim \omega_4 \prec \omega_1 \sim \omega_3\}$. Then, ω_2 and ω_4 (ω_1 and ω_3 respectively) can not be distinguished in \preceq_2 , but $\omega_2 \prec \omega_4$ and $\omega_1 \prec \omega_3$ are in \preceq_1 . Following the information in \preceq_1 , Bob should hold $\omega_2 \prec \omega_4$ and $\omega_1 \prec \omega_3$ in $\preceq_1 \circ \preceq_2$. Then $\preceq_1 \circ \preceq_2 = \{\omega_2 \prec \omega_4 \prec \omega_1 \prec \omega_3\}$.

Interestingly, it can be shown that revision results satisfying the above postulates are unique.

Theorem 3. Suppose \preceq_1 and \preceq_2 are total preorders. Then there is a unique revision operator satisfying (RE1)-(RE3).

Proof. For any $\omega, \omega' \in W$, we define a binary relation \preceq on W as follows.

- $\omega \prec \omega'$ iff $\omega \prec_2 \omega'$, or $\omega \sim_2 \omega'$ and $\omega \prec_1 \omega'$.
- $\omega \sim \omega'$ iff $\omega \sim_1 \omega'$ and $\omega \sim_2 \omega'$.

It is not difficult to check that \preceq is a total preorder. Next we only need to show that if an operator \circ satisfies (RE1)-(RE3) then the revision result of $\preceq_1 \circ \preceq_2$ is exactly \preceq . Let $\preceq_3 = \preceq_1 \circ \preceq_2$. By (RE1), \preceq_3 is a total preorder. Since \preceq_2 is a total preorder, for any $\omega, \omega' \in W$, exactly one of $\omega \prec_2 \omega'$, $\omega' \prec_2 \omega$, and $\omega \sim_2 \omega'$ will happen. If $\omega \prec_2 \omega'$ ($\omega' \prec_2 \omega$, respectively) then $\omega \prec_3 \omega'$ ($\omega' \prec_3 \omega$, respectively) by (RE2). If $\omega \sim_2 \omega'$ then we have $\omega \prec_3 \omega'$ iff $\omega \prec_1 \omega'$ by (RE3). That is equivalent to say, if $\omega \sim_2 \omega'$ and $\omega \prec_1 \omega'$, then $\omega \prec_3 \omega'$, and if $\omega \sim_2 \omega'$ and $\omega \sim_1 \omega'$, then $\omega \sim_3 \omega'$. In the end, we have $\omega \prec_3 \omega'$ iff $\omega \prec \omega'$, and $\omega \sim_3 \omega'$ iff $\omega \sim \omega'$. Therefore, $\preceq_3 = \preceq$. \square

Remark 2. However, the above revision framework has the great limitation of not being able to deal with more general cases such as the new evidence or even the current belief state is not a total preorder, which is common in real-world applications, e.g., the agent only holds incomplete belief information. Therefore, it is necessary to consider other solutions without such limitation.

6 Revision with Belief Algebras

In this section, we extend our discussion to a more general framework of iterated belief revision based on a *belief algebra*, rather than restricting ourselves to CBAs. This framework allows for a richer representation of belief states and supports more flexible revision processes. For simplicity, we assume that the agent is rational (i.e. both her belief and the new evidence do not contain “conflicting information”). If not specified otherwise, we always suppose that the agent’s current belief state is a belief algebra G_1 , the new evidence is a belief algebra G_2 , and the revision result is also a belief algebra denoted by $G_1 \bullet G_2$, where \bullet is a revision operator from $BA_L \times BA_L$ to BA_L .

To give postulates to characterize rational revisions, following literature, e.g., [Alchourron *et al.*, 1985; Darwiche and Pearl, 1997; Jin and Thielscher, 2007], we first assume that new evidence has a higher preference, that is, belief information of G_2 is more believable than G_1 . Then G_2 should be kept in $G_1 \bullet G_2$, and we have:

$$(RA1) \quad G_2 \subseteq G_1 \bullet G_2$$

Since G_1 and G_2 collectively cover all the agent’s belief information, we assume that $G_1 \bullet G_2$ is entirely determined by G_1 and G_2 and is generated by some subset of $G_1 \cup G_2$. This leads to the following postulate:

$$(RA2) \quad \text{There is an } \Omega \subseteq G_1 \cup G_2 \text{ s.t. } G_1 \bullet G_2 = \text{Gen}(\Omega).$$

(RA2) requires that the revision result cannot be generated with information outside $G_1 \cup G_2$, and if G_1 and G_2 have conflicting information, one should choose a consistent subset in order to generate a belief algebra.

Notice that a complete belief algebra is equivalent to a total preorder on worlds. Revising a complete belief algebra G_1 by

another complete belief algebra G_2 is equivalent to revising a total preorder by another total preorder. The following postulates (RA3) and (RA4) are thus inspired by (RE1) and (RE3) for revising total preorders in Section 5, respectively.

(RA3) Suppose G_1 and G_2 are complete belief algebras. Then $G_1 \bullet G_2$ is also a complete belief algebra.

(RA4) Suppose $G_1 = (2^W, \gg_1)$ and $G_2 = (2^W, \gg_2)$ are complete belief algebras, and $I_2(\{\omega\}) = I_2(\{\omega'\})$ in G_2 . Then $(\{\omega\}, \{\omega'\}) \in G_1 \bullet G_2$ iff $\{\omega\} \gg_1 \{\omega'\}$.

Theorem 4. Suppose \bullet satisfies (RA1)–(RA4), and $G_1 = (2^W, \gg_1)$ and $G_2 = (2^W, \gg_2)$ are complete belief algebras. $\Lambda(G_1, G_2) = \{(\{\omega\}, \{\omega'\}) \mid \{\omega\} \gg_1 \{\omega'\}, I_2(\{\omega\}) = I_2(\{\omega'\})\}$. Then $G_1 \bullet G_2 = \text{Gen}(\Lambda(G_1, G_2) \cup G_2)$, and the result of revising G_1 by G_2 is unique.

Proof. Suppose the corresponding total preorders of \gg_1, \gg_2 are \preceq_1, \preceq_2 respectively. Let $\preceq = \preceq_1 \circ \preceq_2$, where \circ is the operator which satisfies (RE1)–(RE3). Then \preceq is a total preorder, and $\omega \prec \omega'$ iff $\omega \prec_2 \omega'$, or $\omega \sim_2 \omega'$ and $\omega \prec_1 \omega'$. Since G_1, G_2 are CBAs, we have $\omega \prec_2 \omega'$ iff $\{\omega\} \gg_2 \{\omega'\}$, $\omega \prec_1 \omega'$ iff $\{\omega\} \gg_1 \{\omega'\}$, and $\omega \sim_2 \omega'$ iff $I_2(\{\omega\}) = I_2(\{\omega'\})$. We denote by $G = (2^W, \gg)$ the corresponding CBA of \preceq . Then $\{\omega\} \gg \{\omega'\}$ iff $\omega \prec \omega'$. That is to say, $\{\omega\} \gg \{\omega'\}$ iff $\{\omega\} \gg_2 \{\omega'\}$, or $I_2(\{\omega\}) = I_2(\{\omega'\})$ and $\{\omega\} \gg_1 \{\omega'\}$. In summary, for any $\omega, \omega' \in W$, $(\{\omega\}, \{\omega'\}) \in G$ iff $(\{\omega\}, \{\omega'\}) \in G_2 \cup \Lambda(G_1, G_2)$. The “if” part here shows $\Lambda(G_1, G_2) \subseteq G$ and $G_2 \subseteq G$, because G_2 is a CBA and each CBA is totally decided by the preferences on single world sets according to Corollary 1. Then $\text{Gen}(G_2 \cup \Lambda(G_1, G_2)) \subseteq G$. The “only if” part here shows that if $(\{\omega\}, \{\omega'\}) \in G$, then we have $(\{\omega\}, \{\omega'\}) \in G_2 \cup \Lambda(G_1, G_2)$, which means $G \subseteq \text{Gen}(G_2 \cup \Lambda(G_1, G_2))$ since G is also a CBA. Therefore, we have $G = \text{Gen}(G_2 \cup \Lambda(G_1, G_2))$.

To show that the result is unique, suppose that \bullet is an operator on BL_A which satisfies (RA1)–(RA4). Then we only need to show that if $G_1 \bullet G_2 = G_3$ then $G_3 = G$. By (RA3), G_3 is a CBA because G_1 and G_2 are CBAs. Let $G_3 = (2^W, \gg_3)$. Then $\forall \omega, \omega' \in W$, one of the following two cases is true.

(Case 1) If $\{\omega\} \gg_2 \{\omega'\}$ or $\{\omega'\} \gg_2 \{\omega\}$ then we have $\{\omega\} \gg_3 \{\omega'\}$ or $\{\omega'\} \gg_3 \{\omega\}$, respectively, by (RA1).

(Case 2) If $\{\omega\} \not\gg_2 \{\omega'\}$ and $\{\omega'\} \not\gg_2 \{\omega\}$ then $I_2(\{\omega\}) = I_2(\{\omega'\})$ is holding in G_2 by Proposition 4. Therefore, $\{\omega\} \gg_3 \{\omega'\}$ iff $\{\omega\} \gg_1 \{\omega'\}$ by (RA4).

Therefore, we have $(\{\omega\}, \{\omega'\}) \in G_3$ iff $(\{\omega\}, \{\omega'\}) \in G_2$ or $(\{\omega\}, \{\omega'\}) \in \Lambda(G_1, G_2)$. That is to say, $(\{\omega\}, \{\omega'\}) \in G_3$ iff $(\{\omega\}, \{\omega'\}) \in G$. Recall that G and G_3 are both CBAs. Then we have $G_3 = G$ by Corollary 1. \square

This above theorem generalizes Theorem 3 and shows that, under the postulates (RA1)–(RA4), the revision operator \bullet is deterministic when applied to complete belief algebras. Specifically, the revision result $G_1 \bullet G_2$ is uniquely determined by combining the preference relations from G_1 and G_2 in a principled way. The set $\Lambda(G_1, G_2)$ captures the preferences from G_1 that are consistent with the structure of G_2 , ensuring that the revision process preserves as much of the

original belief information as possible while fully incorporating the new evidence. The following corollary establishes a direct correspondence between the revision operator \bullet for complete belief algebras and the revision operator \circ for their equivalent total preorders.

Corollary 3. *Suppose, G_1 and G_2 are complete belief algebras, and \preceq_1 and \preceq_2 are their equivalent total preorders on worlds, respectively. If \bullet satisfies (RA1)–(RA4), and \circ satisfies (RE1)–(RE3), then the corresponding total preorder of $G_1 \bullet G_2$ is exactly $\preceq_1 \circ \preceq_2$.*

Proof. This conclusion follows intuitively, and we only provide a proof sketch.

Let $\preceq = \preceq_1 \circ \preceq_2$ and $G = G_1 \bullet G_2$. Note that by the proof of Theorem 4, the revision operator \bullet under (RA1)–(RA4) ensures that in G $\{\omega\} \gg \{\omega^*\}$ iff either $\{\omega\} \gg_2 \{\omega^*\}$ (from G_2), or $I_2(\{\omega\}) = I_2(\{\omega^*\})$ and $\{\omega\} \gg_1 \{\omega^*\}$ (preserved from G_1).

On the other hand, by the proof of Theorem 3 the revision operator \circ defined by (RE1)–(RE3) ensures that $\omega \prec \omega^*$ iff either $\omega \prec_2 \omega^*$ (from \preceq_2) or $\omega \sim_2 \omega^*$ and $\omega \prec_1 \omega^*$ (preserved from \preceq_1).

This structural correspondence guarantees that G is exactly the CBA corresponding to $\preceq_1 \circ \preceq_2$ by Lemma 4. \square

Example 6. *Suppose, $\Delta_1 = \{\{\omega_1\} \gg \{\omega_2\} \gg \{\omega_3\} \gg \{\omega_4\}\}$ and $\Delta_2 = \{\{\omega_2\} \gg \{\omega_1, \omega_3\} \gg \{\omega_4\}\}$ are backbones, then $G_1 = \text{Gen}(\Delta_1)$ and $G_2 = \text{Gen}(\Delta_2 \cup \{(1, 4), (3, 4)\})$ are complete belief algebras. In this sense, $\Lambda(G_1, G_2) = \{(1, 3)\}$, and $G_1 \bullet G_2 = \text{Gen}(\{\{\omega_2\} \gg \{\omega_1\} \gg \{\omega_3\} \gg \{\omega_4\}\})$, where $\{\{\omega_2\} \gg \{\omega_1\} \gg \{\omega_3\} \gg \{\omega_4\}\}$ is the backbone of $G_1 \bullet G_2$.*

For the case where G_1 and G_2 are possibly incomplete belief algebras, we include the following postulate:

(RA5) If $G_1 \leq G'_1$, $G_2 \leq G'_2$ then $G_1 \bullet G_2 \subseteq G'_1 \bullet G'_2$.

Recall that $G_1 \leq G'_1$ means that $G_1 \subseteq G'_1$ and G_1 and G'_1 have the same backbone. (RA5) means that if G_1 and G_2 contain less information than G'_1 and G'_2 , respectively, and they have the same core belief information (i.e., same backbones), then $G_1 \bullet G_2$ also contains less belief information than $G'_1 \bullet G'_2$. From (RA5), the following proposition is easy to verify.

Proposition 2. *If \bullet satisfies (RA5), then $G_1 \bullet G_2 \subseteq \text{Com}(G_1) \bullet \text{Com}(G_2)$.*

The above proposition shows that $\text{Com}(G_1) \bullet \text{Com}(G_2)$ is an upper bound of $G_1 \bullet G_2$ (under \subseteq).

Furthermore, we suppose a rational agent will keep maximal information from G_1 to $G_1 \bullet G_2$ under (RA1)–(RA5), which is a “minimal change” rule. Hence, we assume that $G_1 \bullet G_2$ is maximum in $\text{Com}(G_1) \bullet \text{Com}(G_2)$, i.e., there is no belief algebra $\text{Gen}(\Omega) \subseteq \text{Com}(G_1) \bullet \text{Com}(G_2)$ such that $G_1 \bullet G_2 \subset \text{Gen}(\Omega)$, where $\Omega \subseteq G_1 \cup G_2$. Then we have the following postulate.

(RA6) If $\Omega \subseteq G_1 \cup G_2$ and $\text{Gen}(\Omega) \subseteq \text{Com}(G_1) \bullet \text{Com}(G_2)$, $G_1 \bullet G_2 \subseteq \text{Gen}(\Omega)$, then $G_1 \bullet G_2 = \text{Gen}(\Omega)$.

We arrive to one of the major results in this work:

Theorem 5. *Suppose \bullet satisfies (RA1)–(RA6), and G_1, G_2 are belief algebras. Then the revision result of $G_1 \bullet G_2$ is unique, and $G_1 \bullet G_2 = \text{Gen}((G_1 \cup G_2) \cap \text{Com}(G_1) \bullet \text{Com}(G_2))$.*

Proof. $\text{Com}(G_1) \bullet \text{Com}(G_2)$ is a defined complete belief algebra by Theorem 4 and \bullet satisfies (RA1)–(RA6). Since $(G_1 \cup G_2) \cap \text{Com}(G_1) \bullet \text{Com}(G_2)$ is a subset of $\text{Com}(G_1) \bullet \text{Com}(G_2)$, $\text{Gen}((G_1 \cup G_2) \cap \text{Com}(G_1) \bullet \text{Com}(G_2))$ is a belief algebra by Corollary 2. By (RA2), there is a $\Omega \subseteq G_1 \cup G_2$ such that $G_1 \bullet G_2 = \text{Gen}(\Omega)$. By (RA5), we have $\text{Gen}(\Omega) \subseteq \text{Com}(G_1) \bullet \text{Com}(G_2)$. Then, $\Omega \subseteq \text{Com}(G_1) \bullet \text{Com}(G_2)$. Furthermore, we have $\Omega \subseteq ((G_1 \cup G_2) \cap \text{Com}(G_1) \bullet \text{Com}(G_2))$. As a result, we can conclude that $G_1 \bullet G_2 = \text{Gen}(\Omega) \subseteq \text{Gen}((G_1 \cup G_2) \cap \text{Com}(G_1) \bullet \text{Com}(G_2))$, where $\text{Gen}((G_1 \cup G_2) \cap \text{Com}(G_1) \bullet \text{Com}(G_2))$ is a belief algebra. By (RA6), we have $G_1 \bullet G_2 = \text{Gen}((G_1 \cup G_2) \cap \text{Com}(G_1) \bullet \text{Com}(G_2))$. \square

The above theorem shows that there is only one operator that satisfies (RA1)–(RA6). The postulate (RA5) provides an upper bound for the revision result. On the other hand, (RA6) imposes a conditional maximality requirement on the revision result, which, together with (RA5), leads to the uniqueness of the revision operator \bullet . In the next section, we will discuss how to algorithmically compute the revision result of this operator, providing a practical method for performing iterated belief revision in the belief algebra framework.

7 A Practical Algorithm and Discussion

In this section, we provide a practical algorithm for computing the revision result $G_1 \bullet G_2$ based on the postulates (RA1)–(RA6).

7.1 Algorithm

We begin with a direct characterization of the revision result.

Proposition 3. *Suppose G_1 and G_2 are belief algebras, \bullet satisfies (RA1)–(RA6), and $G_* = \text{Com}(G_1) \bullet \text{Com}(G_2)$. Then $G_1 \bullet G_2 = \text{Gen}((G_1 \cap G_*) \cup G_2)$, and $G_1 \cap G_* = \{(U, V) \mid U \gg_1 V, \text{ and } I_*(U) \gg_* I_*(V)\}$.*

Proof. By Theorem 5, we have $G_1 \bullet G_2 = \text{Gen}((G_1 \cup G_2) \cap G_*) = \text{Gen}((G_1 \cap G_*) \cup (G_2 \cap G_*))$. From (RA1) and (RA5), we have $G_2 \subseteq G_1 \bullet G_2 \subseteq G_*$. Then $G_2 \cap G_* = G_2$. Then $G_1 \bullet G_2 = \text{Gen}((G_1 \cap G_*) \cup G_2)$. Moreover, as G_* is a complete belief algebra, $U \gg_* V$ iff $I_*(U) \gg I_*(V)$ by Lemma 6. Hence, $G_1 \cap G_* = \{(U, V) \mid U \gg_1 V, \text{ and } I_*(U) \gg_* I_*(V)\}$. \square

Therefore, we can use Algorithm 1 to get $G_1 \bullet G_2$.

In the first step of the algorithm, we need to compute $\text{Com}(G_1)$ and $\text{Com}(G_2)$. Given a belief algebra $G = (2^W, \gg)$, to calculate $\text{Com}(G)$, we need to obtain the backbone $\{U_1 \gg \dots \gg U_n\}$ of G first. Let $U_1 = \bigcap \{U \subseteq W \mid U \gg W \setminus U\}$, $W_{i+1} = W_i \setminus U_i$ and $W_1 = W$. Then $U_i = \bigcap \{U \subseteq W_{i+1} \mid U \gg W_{i+1} \setminus U\}$. It can be verified that $\{U_1 \gg \dots \gg U_n\}$ is indeed the backbone of G , and more details can be found in [Meng et al., 2015]. With the backbone of G , $\text{Com}(G) = (2^W, \gg_*)$ can be constructed by

Algorithm 1: Definite revision on BA_L .

In : Current belief algebra G_1 and new evidence G_2 .

Out: Resulting belief algebra $G_1 \bullet G_2$.

- 1 Calculate $\text{Com}(G_1)$ and $\text{Com}(G_2)$ by Definition 5;
 - 2 $G_* \leftarrow \text{Com}(G_1) \bullet \text{Com}(G_2)$ by Theorem 4;
 - 3 $G_1 \cap G_* \leftarrow \{(U, V) \mid U \gg_1 V, \text{ and } I_*(U) \gg_* I_*(V)\}$;
 - 4 $G_1 \bullet G_2 \leftarrow \text{Gen}((G_1 \cap G_*) \cup G_2)$ by Definition 3;
 - 5 **return** $G_1 \bullet G_2$.
-

defining \gg_* as $\forall U, V \in R_W, U \gg_* V$ if $I(U) \gg I(V)$. Then G_* can be computed by Theorem 4, and thus $G_1 \bullet G_2$ can be obtained accordingly. Note that one can get $\text{Gen}(\gg)$ for some \gg by calculating the closure of \gg under (A1), (A3), and (A4).

The following is an example of applying Algorithm 1 to the revision scenario in Example 3.

Example 7. In Example 3, as Bob's current belief corresponds to a total preorder $\{\omega_1 \sim \omega_2 \prec \omega_3 \sim \omega_4\}$, it can be characterized as a CBA $G_1 = (2^W, \gg_1)$, where

$$\begin{aligned} \gg_1 = & \{(1, 3), (1, 4), (2, 3), (2, 4), (12, 3)(12, 4), (12, 34), \\ & (13, 4), (14, 3), (23, 4), (24, 3), (123, 4), (124, 3)\} \\ & \cup \text{Tr}(W). \end{aligned}$$

Here for simplicity, we use a sequence of numbers $i_1 i_2 \dots i_k$ to represent the set of worlds $\{\omega_{i_1}, \omega_{i_2}, \dots, \omega_{i_k}\}$ ($1 \leq i_1, \dots, i_k \leq 4$). For example, (1, 3) represents $(\{\omega_1\}, \{\omega_3\})$ and (12, 3) represents $(\{\omega_1, \omega_2\}, \{\omega_3\})$. The new evidence μ with worlds $[\mu] = \{\omega_1, \omega_4\}$ can be characterized as $G_2 = (2^W, \gg_2)$, where

$$\begin{aligned} \gg_2 = & \text{Gen}(\{([\mu], [\neg\mu])\}) \\ = & \{(14, 23), (14, 2), (14, 3), (142, 3), (143, 2)\} \cup \text{Tr}(W). \end{aligned}$$

Note that the backbone of G_2 is $\{\omega_1, \omega_4\} \gg_2 \{\omega_2, \omega_3\}$. Then

$$\begin{aligned} \text{Com}(G_2) = & \{(1, 2), (1, 3), (4, 2), (4, 3), (14, 23), (14, 2), \\ & (14, 3), (12, 3), (13, 2), (24, 3), (34, 2), \\ & (142, 3), (143, 2)\} \cup \text{Tr}(W). \end{aligned}$$

By Theorem 4, we know $\Lambda(G_1, \text{Com}(G_2)) = \{(1, 4), (2, 3)\}$, and

$$\begin{aligned} G_* = & \text{Com}(G_1) \bullet \text{Com}(G_2) \\ = & G_1 \bullet \text{Com}(G_2) = \text{Gen}(\Lambda(G_1, \text{Com}(G_2)) \cup \text{Com}(G_2)) \\ = & \{(1, 4), (1, 2), (1, 3), (4, 2), (4, 3), (2, 3), (1, 24), \\ & (1, 23), (1, 34), (1, 234), (4, 23), (14, 2), (14, 3), (14, 23), \\ & (13, 4), (13, 2), (13, 24), (12, 3), (12, 4), (12, 34), (42, 3), \\ & (43, 2), (123, 4), (124, 3), (134, 2)\} \cup \text{Tr}(W). \end{aligned}$$

Then the backbone of G_* is $\{\{\omega_1\} \gg_* \{\omega_4\} \gg_* \{\omega_2\} \gg_* \{\omega_3\}\}$, and $G_1 \cap G_*$ is

$$\begin{aligned} G_1 \cap G_* = & \{(1, 3), (1, 4), (2, 3), (12, 3), (12, 4), \\ & (12, 34), (13, 4), (14, 3), (24, 3), (123, 4), (124, 3)\} \\ & \cup \text{Tr}(W). \end{aligned}$$

Then

$$\begin{aligned} G_1 \bullet G_2 = & \text{Gen}(\{(1, 3), (1, 4), (2, 3), (12, 3), (12, 4), (12, 34), \\ & (13, 4), (14, 3), (24, 3), (123, 4), (124, 3)\} \cup G_2) \\ = & \{(1, 2), (1, 3), (1, 4), (2, 3), (1, 23), (1, 24), \\ & (1, 34), (1, 234), (12, 3), (12, 4), (12, 34), (13, 2), \\ & (13, 4), (13, 24), (14, 2), (14, 3), (14, 23), \\ & (24, 3), (123, 4), (124, 3)\} \cup \text{Tr}(W) \end{aligned}$$

The backbone of $G_1 \bullet G_2$ is $\Delta_3 = \{\omega_1\} \gg_3 \{\omega_2, \omega_4\} \gg_3 \{\omega_3\}$. It is not difficult to verify that $G_1 \bullet G_2 = \text{Gen}(\Delta_3 \cup \{(2, 3)\})$. Furthermore, $G_1 \bullet G_2$ is also equal to $\text{Gen}(\{(1, 4), (1, 2), (1, 3), (2, 3)\})$. In other words, $G_1 \bullet G_2$ is generated by $\{\omega_1 \prec \omega_4, \omega_1 \prec \omega_2, \omega_1 \prec \omega_3, \omega_2 \prec \omega_3\}$. In Example 3, these orderings are exactly the part that must be maintained under the DP framework. On the other hand, if the new evidence is $\{\mu, (\neg b \mid \neg f)\}$, where $[\mu] = \{\omega_1, \omega_4\}$ instead, then the revision result under the proposed framework will be $\text{Gen}(\{\{\omega_1\} \gg \{\omega_4\} \gg \{\omega_2\} \gg \{\omega_3\}\})$, because $(\neg b \mid \neg f)$ will induce the preference information $\{\omega_4\} \gg \{\omega_2\}$.

Now we return to the traditional belief revision setting, where the current belief is represented as a total preorder \preceq on possible worlds, and the new evidence is a formula μ . This revision setting can be viewed as revising a complete belief algebra by a new belief algebra generated by the formula μ . Suppose that \bullet is the revision operator on BA_L satisfying (RA1)–(RA6). Then the revision process proceeds as follows:

- (Step 1) Represent \preceq and μ by belief algebras. Let $G_1 = (2^W, \gg_1)$ be the corresponding complete belief algebra of \preceq i.e., $\omega \prec_\mu \omega'$ iff $\{\omega\} \gg_1 \{\omega'\}$. Similarly, μ can be equivalently represented by $G_\mu = \text{Gen}(\gg_\mu := \{([\mu], [\neg\mu])\})$.
- (Step 2) Calculate G_* . Note that $\text{Com}(G_\mu)$ is equivalent to a total preorder \preceq_μ s.t. $\omega \prec_\mu \omega'$ iff $\omega \in [\mu]$ and $\omega' \in [\neg\mu]$. Moreover, $G_* = G_1 \bullet \text{Com}(G_\mu)$ is also equivalent to a total preorder \preceq_* . Following (RE1)–(RE3) (by Corollary 3, (RA1)–(RA4) equivalently), we can conclude that the strict part of \preceq_* is as follows.
 - If $\omega_1, \omega_2 \in [\mu]$ then $\omega_1 \prec_* \omega_2$ iff $\omega_1 \prec \omega_2$.
 - If $\omega_1, \omega_2 \in [\neg\mu]$ then $\omega_1 \prec_* \omega_2$ iff $\omega_1 \prec \omega_2$.
 - If $\omega_1 \in [\mu]$ and $\omega_2 \in [\neg\mu]$ then $\omega_1 \prec_* \omega_2$.
- (Step 3) Calculate $G_1 \cap G_*$. From the result of last step, we can see that
 - If $\omega_1, \omega_2 \in [\mu]$, then $(\{\omega_1\}, \{\omega_2\}) \in G_1 \cap G_*$ iff $(\{\omega_1\}, \{\omega_2\}) \in G_1$.
 - If $\omega_1, \omega_2 \in [\neg\mu]$, then $(\{\omega_1\}, \{\omega_2\}) \in G_1 \cap G_*$ iff $(\{\omega_1\}, \{\omega_2\}) \in G_1$.
 - If $\omega_1 \in [\mu]$, $\omega_2 \in [\neg\mu]$ and $(\{\omega_1\}, \{\omega_2\}) \in G_1$, then $(\{\omega_1\}, \{\omega_2\}) \in G_1 \cap G_*$.

It should be noted that, the preferences on single worlds in $[\mu]$ and $[\neg\mu]$ remain unchanged after revision, and $\omega \prec \omega'$ in \preceq is also maintained if $\omega \in [\mu]$ and $\omega' \in [\neg\mu]$.

- (Step 4) Calculate $G_1 \bullet G_\mu = \text{Gen}((G_1 \cap G_*) \cup G_\mu)$. Then we get the revision result $G_1 \bullet G_\mu$.

Remark 3. It is evident that the above revision process attempts to preserve as much information from \preceq as possible, particularly those preferences consistent with $[\mu] \gg [\neg\mu]$. This strategy aligns with the principles of the AGM and DP frameworks. However, unlike these frameworks, the specific preference relations to be preserved are determined by the upper bound $G_1 \bullet \text{Com}(G_\mu)$. Only those preferences consistent with $G_1 \bullet \text{Com}(G_\mu)$ are included in the final result, and they must be included. This is the reason why the revision operator produces a unique result.

7.2 Discussion

Our iterative framework builds upon [Meng *et al.*, 2015]. The belief algebra framework naturally extends to scenarios where the agent’s beliefs are partial or incomplete. Unlike total preorders, which require a complete ranking of all worlds, belief algebras allow for the representation of preferences over subsets of worlds, even when some preferences are unspecified. This flexibility is particularly useful in real-world applications where the agent may have limited or uncertain information.

A key distinction with [Meng *et al.*, 2015] is that we provide a deeper analysis of the structure of *belief algebra* and introduce two core revision rules, (RA5) and (RA6). (RA5) imposes a macro-level constraint on belief revision, ensuring that the revision result does not exceed the outcome under complete information when belief information is insufficient. (RA6), on the other hand, requires preserving as much of the original belief information as possible under these constraints. Interestingly, these rules induce a unique revision result. Under our framework, agents with the same belief algebra and evidence will produce identical revision outcomes. While traditional views attribute different revision results to varying operators, we argue that rational agents share highly similar revision operators, and differences arise from their distinct belief algebras.

8 Conclusion

In this paper, we proposed an iterated belief revision framework based on *belief algebra* where the current belief state, new evidence, and revision results are all represented as belief algebras. Through a deep analysis of the structure of belief algebra and inspired by existing principles of belief revision, we devised natural postulates for rational revision behaviors, including (RA5), which imposes an upper-bound constraint on revision results, ensuring that no revision exceeds the outcome under complete information, and (RA6), which requires preserving as much of the original belief information as possible while satisfying the upper-bound constraint. Interestingly, these postulates induce a unique revision operator, providing a deterministic and principled approach to belief revision. This uniqueness offers a clear guideline for selecting specific revision operators in practical applications.

Moreover, we developed a practical revision algorithm under the new framework, demonstrating its feasibility for real-world use. In future work, we aim to explore efficient meth-

ods for representing original belief information (e.g., logical statements or preferences) as belief algebra. Additionally, we will focus on improving the efficiency of our algorithm, reducing its complexity (currently, it is exponential to the number of worlds), and testing its application in specific domains, such as knowledge or rule revision in large language models.

Acknowledgments

We would like to thank the anonymous reviewers for their invaluable help to improve the paper. This work was supported by the National Natural Science Foundation of China under Grant numbers 61806170 and 62276218; the Fundamental Research Funds for the Central Universities under Grant numbers 2682022ZTPY082 and 2682023ZTPY027; the French National Research Agency under Grant number SA21PD01; and University of Montpellier under Grant number PP21PD01-RM06.

References

- [Alchourron *et al.*, 1985] Carlos E. Alchourron, Peter Gärdenfors, and David Makinson. On the logic of theory change: Partial meet contraction and revision functions. *The Journal of Symbolic Logic*, 50(2):510–530, 1985.
- [Andrikopoulou *et al.*, 2025] Maria Andrikopoulou, Theofanis Aravanis, James P. Delgrande, Panagis Karazeris, and Pavlos Peppas. Filters-based revision. *Annals of Mathematics and Artificial Intelligence*, 2025.
- [Aravanis *et al.*, 2019] Theofanis I. Aravanis, Pavlos Peppas, and Mary-Anne Williams. Observations on darwiche and pearl’s approach for iterated belief revision. In *IJCAI*, pages 1509–1515, 2019.
- [Aravanis, 2023] Theofanis I. Aravanis. Collective belief revision. *Journal of Artificial Intelligence Research*, 78:1221–1247, 2023.
- [Baroni *et al.*, 2022] Pietro Baroni, Eduardo Fermé, Massimiliano Giacomin, and Guillermo Ricardo Simari. Belief revision and computational argumentation: A critical comparison. *Journal of Logic, Language and Information*, 31(4):555–589, 2022.
- [Benferhat *et al.*, 2000] Salem Benferhat, Sébastien Konieczny, Odile Papini, and Ramón Pino Pérez. Iterated revision by epistemic states: axioms, semantics and syntax. In *ECAI*, pages 13–17, 2000.
- [Benferhat *et al.*, 2005] Salem Benferhat, Sylvain Lagrue, and Odile Papini. Revision of partially ordered information: Axiomatization, semantics and iteration. In *IJCAI*, pages 376–381, 2005.
- [Bonanno, 2025] Giacomo Bonanno. A kripke-lewis semantics for belief update and belief revision. *Artificial Intelligence*, 339:104259, 2025.
- [Booth and Chandler, 2016] Richard Booth and Jake Chandler. Extending the harper identity to iterated belief change. In *IJCAI*, pages 987–993, 2016.

- [Booth and Meyer, 2006] Richard Booth and Thomas Andreas Meyer. Admissible and restrained revision. *Journal of Artificial Intelligence Research*, 26:127–151, 2006.
- [Boutilier, 1996] Craig Boutilier. Iterated revision and minimal change of conditional beliefs. *Journal of Philosophical Logic*, 25(3):263–305, 1996.
- [Darwiche and Pearl, 1997] Adnan Darwiche and Judea Pearl. On the logic of iterated belief revision. *Artificial Intelligence*, 89(1):1–29, 1997.
- [Diller *et al.*, 2015] Martin Diller, Adrian Haret, Thomas Linsbichler, Stefan Rümmele, and Stefan Woltran. An extension-based approach to belief revision in abstract argumentation. In *IJCAI*, pages 2926–2932, 2015.
- [Doyle, 1979] Jon Doyle. A truth maintenance system. *Artificial Intelligence*, 12(3):231–272, 1979.
- [Fermé and Hansson, 2011] Eduardo L. Fermé and Sven Ove Hansson. AGM 25 years: Twenty-five years of research in belief change. *Journal of Philosophical Logic*, 40(2):295–331, 2011.
- [Harper, 1976] W. L. Harper. Rational conceptual change. *PSA: Proceedings of the Biennial Meeting of the Philosophy of Science Association*, 1976:462–494, 1976.
- [Hunter and Boyarinov, 2022] Aaron Hunter and Konstantin Boyarinov. BRL: A toolkit for learning how an agent performs belief revision. In Ana Paula Rocha, Luc Steels, and H. Jaap van den Herik, editors, *ICAART*, pages 753–756. SCITEPRESS, 2022.
- [Jin and Thielscher, 2007] Yi Jin and Michael Thielscher. Iterated belief revision, revised. *Artificial Intelligence*, 171(1):1–18, 2007.
- [Katsuno and Mendelzon, 1991] Hirofumi Katsuno and Alberto O Mendelzon. Propositional knowledge base revision and minimal change. *Artificial Intelligence*, 52(3):263–294, 1991.
- [Kern-Isberner *et al.*, 2024] Gabriele Kern-Isberner, Alexander Hahn, Jonas Haldimann, and Christoph Beierle. Total preorders vs ranking functions under belief revision - the dynamics of empty layers. In *KR*, 2024.
- [Lehmann, 1995] Daniel Lehmann. Belief revision, revised. In *IJCAI*, pages 1534–1540, 1995.
- [Liberatore, 2024] Paolo Liberatore. Representing states in iterated belief revision. *Artificial Intelligence*, 336:104200, 2024.
- [Liu *et al.*, 2023] Likang Liu, Keke Sun, Chunlai Zhou, and Yuan Feng. Two views of constrained differential privacy: Belief revision and update. In Brian Williams, Yiling Chen, and Jennifer Neville, editors, *AAAI*, pages 6450–6457, 2023.
- [Ma *et al.*, 2015] Jianbing Ma, Weiru Liu, and Salem Benferhat. A belief revision framework for revising epistemic states with partial epistemic states. *International Journal of Approximate Reasoning*, 59:20–40, 2015.
- [Meng *et al.*, 2015] Hua Meng, Hui Kou, and Sanjiang Li. Belief revision with general epistemic states. In *AAAI*, pages 1553–1559, 2015.
- [Nayak *et al.*, 2003] Abhaya C Nayak, Maurice Pagnucco, and Pavlos Peppas. Dynamic belief revision operators. *Artificial Intelligence*, 146(2):193–228, 2003.
- [Peppas and Williams, 2014] Pavlos Peppas and Mary-Anne Williams. Belief change and semiorders. In *KR*, 2014.
- [Sauerwald and Thimm, 2024] Kai Sauerwald and Matthias Thimm. The realizability of revision and contraction operators in epistemic spaces. pages 665–670, 2024.
- [Spohn, 1988] Wolfgang Spohn. Ordinal conditional functions: A dynamic theory of epistemic states. In W. Spohn, editor, *Causation, Coherence, and Concepts*, pages 19–41. Springer, 1988.
- [van Harmelen *et al.*, 2008] Frank van Harmelen, Vladimir Lifschitz, and Bruce Porter. *Handbook of Knowledge Representation*. Elsevier, 2008.
- [Wilie *et al.*, 2024] Bryan Wilie, Samuel Cahyawijaya, Et-suko Ishii, Junxian He, and Pascale Fung. Belief revision: The adaptability of large language models reasoning. In *EMNLP*, pages 10480–10496, 2024.
- [Williams, 1994] Mary-Anne Williams. Transmutations of knowledge systems. In *KR*, pages 619–629, 1994.
- [Williams, 1996] Mary-Anne Williams. Applications of belief revision. In *Transactions and Change in Logic Databases*, 1996.
- [Zhang, 2010] Dongmo Zhang. A logic-based axiomatic model of bargaining. *Artificial Intelligence*, 174(16-17):1307–1322, 2010.